



## MIGHTY EX6 Tipper w Factory Toolbox

Engine				Electrical system	
		Turbo Charger Intercooler		Audio	M450 (Radio+Aux/MP3 USB) Multidisplay
Туре		4 stroke-cycle, Water-cooled, Direct-	injection diesel Engine	Auto Locking	Central Door Locking + Power Window + Keyless Entry + Semi Trim
Number of Cylinder		4 in-line	infootion alosoi Engino	Steering Wheel Controls	Bluetoth Phone - Audio - Cruise Control
Piston Displacement (cc)		3.933cc		Head lamps	Semi-sealed Beam / Adjustable Dim
histori Bisplacomont (66)		Manual (5 Speed)	Auto (6 Speed)	Front Combination Lamps	Turn signal / Hazard-Amber, Position - White
Max. Power** ps/rpm (kw)	Euro V	140ps/2,500 (102kw) Man	170ps/2,500 (125kw) Auto	Fog Lamps	White
	Euro V	289/1,400 (392nm) Man	448/1400 (608nm) Auto	Rear Combination lamps	Turn signal / Hazard-Amber, Tail / Stop - Red
Fuel System	Injection pump		440/1400 (0001111) Adio	License Plate Lamp	White
i dei System	injection pump	Bonso common nan oystom		Service Lamp Circuit	Yes
Transmission				Daytime Running Lights	Yes
Туре		Manual (5 Speed)	Auto (6 Speed)	12v Socket in Dash	Yes x2
Version		M035 S 5	Allison 1000x fe	Power Windows	Yes
Drive		Single Plate Clutch	Lock up Torque Converter	Back-up Lamp	White
Park Pawl		N/A	YES	Instruments	willic
PTO		YES	YES	Meter Cluster	Fixed type
		125	125	Meter	Speedometer / Tachometer / Fuel gauge / Water temperature gauge LCD with odometer / Trip meter / Clock
Front Axle				Warning Lamps & Indicators	Brake fluid level of reservoir / Parking brake / Oil pressure / Battery charge /
Туре		Reverse Elliot type " I " beam		warming camps & malcators	Tell-tale lights for head light high beam / Turn signals / Door open / Seat belt / Low fuel
	kg	2760 kg		Horn	Single, Electric
Front Axle				Cruise Control	Yes
	kg	4700 kg		Heating/ Air conditioning (Manual)	Yes
Tyre & Wheel	ĸġ	4700 Kg		Steering Wheel Audio Remote Control	Yes
Туре		Single Front, Dual Rear		Steering Wheel Auto Cruise Control	Yes
Tyre	Front / Rear	205/75R17.5-10PR		Body /Cab	
Wheel	Front / Rear	17.5 x 6.00		Type Mounting	Tilt type with torsion bars, all steel welded construction with safety zone design Rigid or Semi floating type
Steering	riont/iteal	110 x 0.00		Windshield	One piece type with laminated glass, tinted upper section
Steering		Power Assisted		Windshield Wipers	Dual electric three speed (intermittent / low / fast) wipers & washer
Steering		Adjustable Steering Wheel		Mirrors	Mirror - Heated
Service Brake		·		Driver's Seat	Coil Suspension, urethane foam cushioned STD trim
Front / Rear		Disc/Disc		Passenger's seat	Bench seat, STD Trim
Vehicle Dynamic Control (VDC)			3S) Anti Brake Skid, (HSA) Hill Start Assist,	Steering Column	Fully Adjustable
Volitolo Dynamio Control (VDO)		(ESS) Emergency Stop Signal		Roof Marker Lights	Yes
Parking Brake		()		Overhead Storage	Yes
Actuation		Internal expanding type on Propeller	shaft at the rear of Transmission assembly	Mirror Width	Narrow STD (optional LONG)
Exhaust Brake				Active Safety Feautures	
Type		Vacuum operated, Butterfly Valve typ	De	Electronic Stability Control	Yes
Suspension				ABS Braking	Yes
	Front / Rear	Semi-elliptic, laminated Leaf Springs		Daytime Running Lights	Yes
Shock absorber	fillent / fillen	Gas telescopic type on the FRONT/RE	EAR axle	Hill Start Assist	Yes
Exhaust system				Auto Headlights	Yes
General		Horizontal		Bluetooth Hands Free	Yes
Fuel tank				Heated Mirrors	Yes
Capacity		100ℓ		Warranty	
Frame				Cab Chassis	3 years or 150,000km (whichever occurs first) against manufactures defects
Туре		"H" type frame with channel sectiona	I side rail & cross members, side rail is reinforced with	Upper body	According to supplier
Main section side rail dimension (r	mm)	Depth x Flange x Thickness : 183 x 6		Refrigeration	Where applicable any refrigeration supplied will be either from Transcold or Thermo king, all warranty and service s
Weights					be according to their terms and conditions
*Tare weight kg	Range	3850 kg		Annotations	5
** Max Gross Vehicle Weight		5,995/6,500 kg		1) Empty vehicle weight and curb weight shown are to 3.5% variation to allow for production tolerance.	
Gross vehicle weight	Front /Rear	2,760/4,700 kg		2) Empty vehicle weight and curb weight shown as the weight of all fuel, coolant and spare tire carries & bracket, but exclude standard tool set	
Gross vehicle weight	Closs Vender Wegne Thom Theat Zives Aven ag			2) Empty venice weight and dub weight include weight of on, their, coolant and spare the carrier & bracket, but exclude standard tool set 3) The vehicle specification may differ per country.	
				<ol> <li>Hyundai New Zealand reservs the right to alter</li> </ol>	er the specifications, equipment or options or discontinue the models at any time without prior notice.

\*Approximate, depending on variant and specification

\*\*Max GVW includes the front and rear axle loads based on permissable tyre load 5,995kg & 6,500kg varients

images may contain additional cost options


## MIGHTY EX6 Tipper w Factory Toolbox

## EX6 Std Cab MWB W/B: 3400

OUTLINE DRAWING

EX6 WB:3400-2.5TON DUMP

Notice: Dimension is the unit of millimeters.



5780 (D.A.L)

1495