



Chippers for a lifetime



# LIFESTYLE / ACREAGE CHIPPERS CATALOGUE

FLIP TO PAGE 12 TO SEE OUR  
COMMERCIAL CHIPPERS RANGE



**3  
YEAR**

**GLOBAL  
WARRANTY**

Register your Hansa chipper to qualify  
[www.hansaproducts.com/registration/](http://www.hansaproducts.com/registration/)



## NEW ZEALAND

Hansa Products Ltd  
57 Te Kowhai East Rd  
P.O. Box 10323  
Hamilton 3200  
New Zealand

**FREEPHONE** 0508 4 HANSA (0508 442 672)  
**PHONE** 07 849 4749  
**EMAIL** [info@hansaproducts.co.nz](mailto:info@hansaproducts.co.nz)  
[hansaproducts.co.nz](http://hansaproducts.co.nz)

## AUSTRALIA

Hansa Products Pty Ltd  
1/16 Piper St,  
P.O. Box 1064,  
Caboolture QLD 4510  
Australia

**FREEPHONE** 1800 426 722  
**EMAIL** [info@hansaproducts.com.au](mailto:info@hansaproducts.com.au)  
[hansaproducts.com.au](http://hansaproducts.com.au)

Hansa Products has a policy of continuous improvement, therefore specifications may change without notice.  
All products come with a 12 month warranty, conditions apply. Copyright © Hansa Products Ltd, 2023. All rights reserved.

### DURABLE FINISH

Hansa chipper housings are made of solid 5mm & 10mm steel. All surfaces are media blasted prior to powder-coating for complete adhesion.



### SELF-FEEDING

The chute is designed with the user in mind. It includes a large opening (no pre-cutting necessary!) and is angled at a comfortable operating height to make the most of its self-feeding action.



### EASY ACCESS

Blockages are rare, but should you need to clear the housing or access knives for servicing the chipper is designed to open up easily & safely.



### SHARP CUTS

The cutting knives shear the material against an adjustable hardened anvil with a scissor like action.



### SOFT START

Easy starting with soft start technology - wind down handle to engage the belt drive between engine and rotor for smooth running and protection of your engine against shock loads.



### DIRECT DISCHARGE

Draught action rotor allows mulch to discharge directly from outlet. Collect in a optional bag, discharge direct to ground or for high-outlet models - straight into trailer or stockpile.



### MANOEUVRABLE

Well-balanced design with built-in handles, pneumatic wheels, low center of gravity and optional tow-bars makes our chippers a breeze to move around.



### QUALITY ENGINES

Genuine Honda NZ approved engines used on our petrol powered chippers.

Standard Features

**LIFESTYLE**





# C3<sup>e</sup>

The most robust and user friendly electric chipper on the market. Ideal for gardeners with suburban gardens, useful all year round as you do your winter pruning, spring clean-up, or trimming back in summer – plug it in, turn it on and chip away. Made of steel to last a lifetime!

## Application



Suburban

## Specifications



## Option



Bag



C3e / C4 bag

# C4



This solid, light weight chipper will handle all the demands of the domestic garden – including fibrous materials. Easy starting, feed through a single inlet chute and discharge out the side with bag option will keep your property shipshape.

## Application



Suburban

## Specifications



## Option



Bag



# C5

The Hansa C5 is a no-nonsense chipper built with simplicity in mind. Sporting the compactness and light weight features of the C4, coupled with a heavier flywheel, higher outlet chute and horsepower the C7 exhibits. The C5 is the big-brother of the Garden range, with optimised self-feeding action to chew through branches with ease.

## Application



Suburban/  
Garden

## Specifications




# C7

The ultimate weapon when it comes to efficiently maintaining your lifestyle block. Pre-cutting isn't necessary as branches simply flow through the large inlet chute. The momentum within the cantilevered cutting disk creates a strong draft to discharge high onto a stock pile or trailer.



Bumper



Tow Bar w. coupling



Tow Bar w. pin



## Application



Large Garden

## Specifications



## Option



Tow Bar



Bumper



# C13

## STANDARD

Serious lifestyle block / acreage owners & landscape gardeners need look no further. This chipper's easy engagement system, along with its efficient self-feeding action removes all the hard work. Maintenance is effortless with easy access to the knives.



Swivel outlet  
(for C13, C13RT & C13PTO)



Tow bar (non-road tow)

### Application



Lifestyle Block

### Specifications



### Option



Leg Mounted



Towable



Castor Wheel



Electric Start



Swivel Outlet



# C13<sup>RT</sup>

## ROAD TRAILER

With the added flexibility of being road registered the C13 road trailer is ideal for a user with multiple properties or a hire business. This chipper's easy engagement system, along with its efficient self-feeding action removes all the hard work. Maintenance is effortless with easy access to the knives.

### Application



### Specifications



### Feature



Road Towable

### Option



Electric Start



Swivel Outlet

# C13<sup>PTO</sup>

## PTO DRIVEN

Serious lifestyle block owners & orchardists need look no further. Simply hitch this chipper to your 540 RPM PTO and you have a machine that has the same capabilities as its engine powered equivalent. Maintenance is effortless with simple access to the knives. Suitable for any small tractor from 17 - 45HP.

### Application



Lifestyle Block

### Specifications



179  
KG



MAX  
90  
MM

### Feature



PTO Driven

### Option



270°  
Swivel Outlet



# C16

An ideal machine for garden maintenance contractors and larger lifestyle blocks. Road towable with duratorque axle suspension and swivel outlet to discharge the mulch where you want it. Its compact design means it can be easily manoeuvred and operated in areas with restricted access.

### Application



Semi Commercial

### Specifications



291  
KG



MAX  
110  
MM



16HP



PETROL

### Feature



Swivel Outlet

# C21

## PTO DRIVEN

The largest of the Hansa gravity self-feeding options, this world class designed chipper boasts an extremely heavy duty cutting disk enabling it to handle the rigorous needs of the most demanding operator. Ideally coupled with a tractor between 20 - 55HP, its inlet chute is specifically shaped to assist feeding of heavier branches and bushy foliage.

### Application



Semi Commercial

### Specifications



### Feature



PTO Driven



Swivel Outlet



# C21

## STANDARD

The largest of the Hansa gravity self-feeding options, this world class designed chipper boasts an extremely heavy duty cutting disk enabling it to handle the rigorous needs of the most demanding operator. The electric start V-twin engine makes starting a breeze and its inlet chute is specifically shaped to assist feeding of heavier branches and bushy foliage.



### Application



Semi Commercial

### Specifications



### Feature



Road Towable



Swivel Outlet



**LIFESTYLE**


	C3e	C4	C5	C7	C13	C13RT	C16	C21
<b>Max. chipping capacity</b>	40mm	50mm	60mm	70mm	90mm	90mm	110mm	130mm
<b>Engine</b>	Electric	Honda GP160	Honda GP200	Honda GX200	Honda GX390	Honda GX390	B&S Vanguard	Honda GX630
<b>Max Power</b>	2000W	5.5HP	6.5HP	6.5HP	13HP	13HP	16HP	21HP
<b>Fuel tank size</b>	Single Phase	3.1L	3.1L	3.1L	6L	6L	8L	11L
<b>Starting system</b>	Push Button	Recoil	Recoil	Recoil	Recoil	Recoil	Recoil	Electric
<b>Inlet opening size (mm)</b>	100 x 130mm	100 x 130mm	100 x 130mm	130 x 150mm	170 x 220mm	170 x 220mm	170 x 220mm	200 x 285mm
<b>Qty of knives</b>	1	1	1	2	2	2	2	2
<b>Knife size</b>	110 x 42 x 6mm	110 x 42 x 6mm	110 x 42 x 6mm	110 x 42 x 9mm	200 x 58 x 10mm	200 x 58 x 10mm	200 x 58 x 10mm	200 x 80 x 12mm
<b>Knife material</b>	A8 modified tool steel							
<b>Cutting disk dimensions</b>	286 x 6mm	286 x 6mm	286 x 10 mm	400 x 10mm	560 x 12mm	560 x 12mm	560 x 20mm	650 x 20mm
<b>Cutting disk weight</b>	4.3kg	4.5kg	6.6kg	12.5kg	36kg	36kg	50kg	80kg
<b>Cutting disk speed</b>	2820RPM	3600RPM	3600RPM	2850RPM	2000RPM	2000RPM	2000RPM	1800RPM
<b>Belt drive</b>	n/a	Single	Single	Twin	Twin	Twin	Twin	Twin
<b>Self-feeding</b>	Yes							
<b>Wheels</b>	200mm solid	250mm solid	250mm solid	270mm pneumatic	400mm pneumatic	12" rim	12" rim	12" rim
<b>Dimensions (l x w x h)</b>	1015 x 540 x 1205mm	1140 x 585 x 1195mm	1165 x 560 x 1195mm	1180 x 805 x 1250mm	1250 x 1145 x 1490mm	2315 x 1275 x 1585mm	2330 x 1200 x 1600mm	2440 x 1360 x 1885mm
<b>Weight (depending on options)</b>	55kg	61kg	67kg	93kg	183-208kg	265-275kg	291kg	425kg
<b>Outlet chute height</b>	450mm	440mm	585mm	780mm	1085mm (1400mm swivel)	1495mm (1540mm swivel)	1575mm	1885mm
<b>Outlet chute type</b>	Fixed	Fixed	Fixed	Deflector	Deflector / 270° Swivel		270° swivel	


**C13PTO**

**C21PTO**

<b>Max. chipping capacity</b>	90mm	130mm
<b>Driveshaft speed</b>	PTO 540 RPM	PTO 540 RPM
<b>Tractor power</b>	17-45HP	20-55HP
<b>Inlet Opening</b>	170 x 220mm	200 x 285mm
<b>Qty of knives</b>	2	2
<b>Knife size</b>	200 x 58 x 10mm	200 x 80 x 12mm
<b>Knife material</b>	A8 modified tool steel	
<b>Cutting disk dimensions</b>	560 x 12mm	650 x 20mm
<b>Cutting disk weight</b>	36kg	80kg
<b>Cutting disk speed</b>	1530 RPM	1530 RPM
<b>Self-feeding</b>	Yes	
<b>Dimensions (l x w x h)</b>	1175 x 1035 x 1535mm	1395 x 990 x 1945mm
<b>Weight (depending on options)</b>	179-191kg	295kg
<b>Outlet chute height</b>	1130mm (1450mm swivel)	1945mm
<b>Outlet chute type</b>	Deflector / 270° Swivel	270° Swivel



## Hansforming landscapes... one chipper at a time

Established in the 1980's, Hansa Products are specialists in the design and manufacture of high quality chipping and shredding equipment. We have been around long enough to say we know chippers - we've built and sold over 41,000 chippers after all - but innovation is not about just repeating what we know, but staying open-minded. That's why our focus is not to make the same chippers every day - but relentlessly sharpening each design.

We are always looking for new ways to create a better chipping experience. Our goal is to produce products that help you to 'hansform' your landscape like us - and work faster, better and safer than ever before.



### Hansa heritage

Founded by Manfred, the next generation of Hansforming is led by son Martin, inheriting his father's ingenuity. Growing up alongside Hansa, Martin developed a passion for Engineering. And after following his father's footsteps to complete an engineering degree, he officially joined Hansa in 2002, but has been involved in Hansa since day one.

### Dependable for a lifetime

Whether it's a hired machine, a personal purchase or a business investment, we believe in providing the best chipping experience. That's why our chippers come with a 3 year warranty on registration, and we have developed ongoing service and support systems to keep you chipping for a lifetime. As a testament to the pride that our customers feel for their chippers, we've met many long-time users who love their 'Hansa' and heard many great success stories over the years.

Such is the workmanship and quality of our machines that we can still find working units of early model chippers that were made by Hansa 42 years ago.

### Making a difference

As the second-generation owner and director, Martin has seen Hansa's growth first-hand and found that many of Hansa's best innovations came from listening to customers. That's why at Hansa we make a point to ensure that everyone in the Hansa family - including staff and customers - makes a difference. To this day, the design team works to involve customer feedback into every Hansa design.

### Pride in your work

As proud as we are about the chippers we produce, we know they need to earn their keep while they're in your hands. So, whether you're tending your own gardens, working as a landscaper, a professional arborist or other commercial user, our chippers are all designed to make tough work enjoyable. It's not just about getting the job done, but the experience of doing it well, and doing it better - using less time, less people, and having less down-time. Our customers are people like us, people who take pride in their work and have an appreciation for a job done well.





---

### Sharper production

As we are specialists in chippers, we know we must offer a superior product to ensure we remain competitive to mass machine manufacturers. That's why all our machines are of our own design. Developed over time from first-hand experience in the field.

We use the latest manufacturing technologies in our engineering and production including:

- Solidworks 3D Design
- CNC machining
- Laser-cutting
- CNC folding
- Robot welding
- And in-house powder-coating facilities

Our dedication to production quality helps us stand apart from others and produce unmatched durability of finish.

### Sustainable ambition

We are an ambitious bunch, who want to see Hansa grow, but believe in doing it sustainably. As much as our customers enjoy our chippers, the long product lifespan means we can't rely on re-purchases only. Rather than reducing product quality, Hansa's sustainable growth approach means growing our exports so that more people can enjoy owning the very best chippers that we can make – without compromise.

We also believe in environmental sustainability. Our chippers are built to be as efficient as possible, using less fuel, top quality motors and finished with a non-toxic surface. While there will always be people that prefer to chop and burn every tree in their way, most of our customers also choose to re-use their woodchip to enrich their environment. Whether it's composting, weed suppressing, moisture retention or volume reduction, mulch is used as a viable alternative to reduce carbon from transportation or burning for a socially responsible approach that adds value back into the landscape.



# COMMERCIAL CHIPPERS CATALOGUE

---



**3**  
YEAR

**GLOBAL  
WARRANTY**

Register your Hansa chipper to qualify  
[www.hansaproducts.com/registration/](http://www.hansaproducts.com/registration/)



## NEW ZEALAND

Hansa Products Ltd  
57 Te Kowhai East Rd  
P.O. Box 10323  
Hamilton 3200  
New Zealand

**FREEPHONE** 0508 4 HANSA (0508 442 672)  
**PHONE** 07 849 4749  
**EMAIL** [info@hansaproducts.co.nz](mailto:info@hansaproducts.co.nz)  
[hansaproducts.co.nz](http://hansaproducts.co.nz)

## AUSTRALIA

Hansa Products Pty Ltd  
1/16 Piper St,  
P.O. Box 1064,  
Caboolture QLD 4510  
Australia

**FREEPHONE** 1800 426 722  
**EMAIL** [info@hansaproducts.com.au](mailto:info@hansaproducts.com.au)  
[hansaproducts.com.au](http://hansaproducts.com.au)



### 360° DISCHARGE


360 degree swivel & pivot outlet chute - the ultimate in mulch discharge control.



**QUALITY ENGINES**  
by Honda  
and Deutz

### EASY START

Soft start auto tensioning technology - belt drive between engine and rotor for smooth running and protection of your engine against shock loads, tensioned automatically.



### WIDE INFEED

Wide infeed opening - excellent for foliage, brushy material and forked branches, reducing the number of saw cuts required.



### DURABLE FINISH

Commercial chipper housings are made of solid 10mm steel. All surfaces are media blasted prior to powder-coating for complete adhesion.



### HYDRAULIC FEED

Quality hydraulic components, single feedroller providing unbeatable feeding power.



### TRANSPORT

Compact & manoeuvrable - low weight to capacity & power ratio, well balanced with low centre of gravity.



### ULTIMATE CONTROL

The auto feed controller monitors engine RPM & controls feed to suit. Hour meter incorporated.

Standard Features

**COMMERCIAL**

# C25

Whether to hire or to own the compact design of this chipper makes it a versatile choice. Simple controls makes it easy for weekend users, while its powerful performance appeals to both serious orchardists and arboriculture contractors alike.



## Application



Commercial

## Specifications





## Option



Bottom Safety Bar

# C27

If manoeuvrability and versatility is what drives your arboriculture business then this chipper fulfils your criteria. Its 360 degree turntable allows feeding from any direction, all while still being coupled and discharging into your tow vehicle.



Bottom Safety Bar

## Application



Commercial

## Specifications



## Feature



Turntable Mounted

## Option



Bottom Safety Bar



# C45

The powerful hydraulic feed system of this diesel powered chipper makes it easy to process any material. Its wide feed opening pulls bushy and twisted branches with forks into the machine without effort. Activate the feed roller with the control bar and the rest is taken care of by the electronic automatic sensor feed system.



## Application



Commercial

## Specifications



## Feature



Disc Brakes

## Option



Bottom Safety Bar

# C65

Widely considered to be the best in its class, this powerful, lightweight, manoeuvrable hydraulic feed chipper boasts extraordinary capacity to weight ratio. This feature is accentuated by its wide feed opening – often described as a 'small in size but big in capacity' chipper, all achieved through clever design and manufacturing.



## Application



Commercial

## Specifications



## Option



Hydraulic Winch



Lift & Crush



Bottom Safety Bar

# C65<sup>RX</sup>




Remote Control



Hydraulic Winch



Lift & Crush



Bottom Safety Bar







When the job takes you to difficult sites, over rough terrain, narrow access or soft ground conditions, you need a machine that's up to the challenge. The rubber track drive is operated by a fully proportional remote control removing the operator from the danger zone. Track the C65rx to site or use it as a trailed machine on the custom built T20 trailer. When used on the trailer, the inlet chute is at the same height as the towable C65 so you can maximise the return from your tracked investment.




Transport Trailer

#### Application



Commercial

#### Specifications



#### Option



Hydraulic Winch



Lift & Crush



Transport Trailer



Bottom Safety Bar



# COMMERCIAL



	C25	C27	C45	C65	C65RX
Max. chipping capacity	160mm (6")	160mm (6")	178mm (7")	254mm (10")	254mm (10")
Engine	Honda GX690	Honda GX800	Deutz F3L 2011	Deutz F4L 2011	Deutz F4L 2011
Max Power	25HP	28HP	48HP	64HP	64HP
Fuel type	Petrol	Petrol	Diesel	Diesel	Diesel
Fuel tank size	33L	33L	45L	70L	70L
Hydraulic tank size	23L	23L	24L	50L	92L
Starting system	Electric				
Inlet opening size	330 x 178mm	330 x 178mm	330 x 178mm	458 x 254mm	458 x 254mm
Qty of knives	2, reversible	2, reversible	2, reversible	4, reversible	4, reversible
Knife size	200 x 116 x 16mm	200 x 116 x 16mm	200 x 116 x 16mm	200 x 116 x 16mm	200 x 116 x 16mm
Knife material	A8 modified tool steel				
Cutting disk dimensions	650 x 20mm	650 x 20mm	650 x 25mm	800 x 40mm	800 x 40mm
Cutting disk weight	81kg	81kg	94kg	181kg	181kg
Cutting disk speed	1800RPM	1800RPM	1800RPM	1700RPM	1700RPM
Beltdrive	3 x B Section	3 x B Section	3 x SPB Section	4 x SPB Section	4 x SPB Section
Feedroller diameter	220mm	220mm	220mm	300mm	300mm
Wheels	13" rim	13" rim (low profile)	13" rim	14" rim	Rubber tracks
Disk brakes	No	No	Yes	Yes	n/a
Dimensions (l x w x h)	3160 x 1580 x 2165mm (w. Bump Bar 3270 lmm)	3160 x 1650 x 2180mm (w. Bump Bar 3270 lmm)	3676 x 1618 x 2186mm 3786 x 1618 x 2186mm (w.Bump Bar)	4034 x 1800 x 2360mm 4164 x 1800 x 2360mm (w.Winch) 4144 x 1800 x 2360mm (w.Bump Bar)	3130 x 1430 x 2325mm 3260 x 1430 x 2325mm (w.Winch) 3240 x 1430 x 2325mm (w.Bump Bar)
Weight (depending on options)	780-885kg	925-1030kg	1290-1340kg	1740-1950kg	2030-2190kg
Outlet chute height	2165mm	2180mm	2010-2190mm	2140 - 2360mm	2110 - 2325mm
Outlet chute type	360° swivel		360° swivel, height adjustable		